RAILROAD COMMISSION OF TEXAS OIL AND GAS DIVISION

Form H-1

05/2004

APPLICATION	TO INJECT FLUID IN	<u>TO A RESERVOIR</u>	PRODUCTIVE OF OIL	OR GAS DBC 0504		
1.Operator name Walsh and Watts,	Inc. , Organization Report)	2. Operator P-5 No. 895060				
3.Operator Address 1111 Seventh 5	Street Wichita Falls	, Tx 76301				
4. County Fisher			5. RRC District No.	7B		
6. Field Name Judy Gail (Canyon S	Sand)		7. Field No. <u>47542</u>	250		
8. Lease Name Boyd 'D'		 	9. Lease/Gas ID No	. 10970		
10. Check the Appropriate Boxes:	New Project □	Amendment	XI			
If amendment, Fluid Injectio	n Project No. F-8927					
Reason for Amendment:	Add wells 🛛 🛣	Add or change typ	oes of fluids 🗆 Cha	ange pressure 🛛 🖾		
	Change volume		Other (explain)			
		ATA FOR A NEW				
11. Name of Formation Canyon	_	12.	Lithology Sandstone	mite, limestone, sand, etc.)		
13. Type of Trap Anticline (anticline, fault trap	o, stratigraphic trap, etc.)	14. Type of Driv	ve during Primary Produ	Solution Gas		
15. Average Pay Thickness 30	_ 16. Lse/Unit Acrea	ge 220	17. Current Bottom Hol	e Pressure (psig) 450		
18. Average Horizontal Permeability (m	ds) 10-35	_ 19. Average Por	osity (%) <u>15%</u>			
	INJECTION	ON PROJECT DAT	ΓΑ			
20. No. of Injection Wells in this applica	ition <u>1</u>					
21. Type of Injection Project: Water	flood 🛚 Pressure N	Naintenance 🗆 🛚 N	Miscible Displacement	□ Natural Gas Storage □		
Steam	☐ Thermal Re	ecovery 🗆 🏻	Disposal	☐ Other		
22. If disposal, are fluids from leases ot	her than the lease ide	ntified in Item 9?	Yes □ No	K I		
23. Is this application for a Commercial	Disposal Well ?		Yes □ No 🎚			
24. If for commercial disposal, will non-l	nazardous oil and gas	waste other than p	roduced water be dispo	sed? Yes 🗆 No 🗆		
25. Type(s) of Injection Fluid:						
Salt Water 🖾 Brackish Water	☐ Fresh Water ☐	CO₂ □ N₂ □	Air □ H ₂ S □	LPG □ NORM □		
Natural Gas 🔲 Polymer	☐ Other (explain)					
26. If water other than produced salt vaquifer and depths, or by name of surfa		identify the source	e of each type of injec	tion water by formation, or by		
CERTIFICATE				03/09/2018		
I declare under penalties prescribed in Sec. Resources Code, that I am authorized to ma	Signature Alfred B. Guin	n	Date			
report was prepared by me or under my su and that the data and facts stated therein complete, to the best of my knowledge.	Name of Person (
complete, to the best of my knowledge.		Phone <u>(940)723</u>	-2104 Fax (9	40)322-2858		
For Office Use Only	Register No.		Amount \$	· · · · · · · · · · · · · · · · · · ·		

INSTRUCTIONS FOR FORM H-1

- 1. Application. File the original Form H-1 application, including all attachments, with Assistant Director, Environmental Services, Railroad Commission of Texas, P. O. Box 12967, Capitol Station, Austin, Texas 78711. File one copy of the application and all attachments with the appropriate Railroad Commission District Office. Include with the original application a non-refundable fee of \$200, payable to the Railroad Commission of Texas. Submit an additional \$150 for each request for an exception to Statewide Rule 46(g)(3) and/or (j)(5)(B).
- Well Logs. Attach the complete electric log or a similar well log for one of the proposed injection
 wells or for a nearby well. Attach any other logging and testing data, such as a cement bond log,
 available for the well that supports this application.
- 3. (a) For a new project, attach a map with surveys marked showing the location and depth of all wells of public record within one-quarter (1/4) mile radius of the proposed injection well(s).
 - (b) For an amendment to add wells to a previous authority, attach a map with surveys marked showing the location and depth of all wells of public record within one-quarter (1/4) mile radius of the additional wells, unless such data has been submitted previously for the project.
 - (c) **Table of Wells**. For those wells in 3(a) or 3(b) that penetrate the top of the injection interval, attach a table of wells showing the dates drilled and their current status. The Commission may adjust or waive this data requirement in accordance with provisions in the "Area of Review" section of Statewide Rule 46 (Rule 46(e)).
- 4. Water Letter. Attach a letter from the Texas Commission on Environmental Quality (TCEQ) or its predecessor or successor agencies for a well within the project area stating the depth to which usable quality water occurs.
- 5. Form(s) H-1A. Attach Form H-1A showing each injection well to be used in the project. Up to TWO wells can be listed on each Form H-1A.
- 6. Use of Fresh Water. Attach Form H-7, Fresh Water Data Form, for a new injection project that includes the use of fresh water. An updated Form H-7 must be attached to Form H-1 for an expansion of a previously authorized fresh water injection project unless the fresh water is purchased from a commercial supplier, public entity, or from another operator.
- 7. Plat of Leases, Notice and Hearings
 - (a) <u>Plat of Leases</u>. Attach a plat of leases showing producing wells, injection wells, offset wells and identifying ownership of all surrounding leases within one-half (1/2) mile.
 - (b) <u>Notice</u>
 - (1) Send or deliver a copy of the application to the owner of record of the surface tract on which the well(s) is located; each Commission-designated operator of any well located within one-half (1/2) mile of the proposed injection well(s); and the clerk of the city and county in which the well(s) is located. If this is the initial application for fluid injection authority for this reservoir, send copies of the application to all operators in the reservoir. Attach a signed statement indicating the date the copies of the application were mailed or delivered and the names and addresses of the persons to whom copies were sent.
 - (2) Attach an affidavit of publication signed by the publisher that notice of the application has been published in a newspaper of general circulation in the county where the well(s) will be located. Notice instructions and forms may be obtained from the Commission's Austin Office, the Commission's website (www.rrc.state.tx.us) or the District Offices. Attach a newspaper clipping of the published notice.
 - (c) <u>Protests and Hearings</u>. An affected person or local government may protest this application. A hearing on the application will be held if a protest is received and the applicant requests a hearing, or if the Commission determines that a hearing is in the public interest. Any such request for a public hearing shall be in writing and contain: (1) the name, mailing address and phone number of the person making the request; and (2) a brief description of how the protestant would be adversely affected by the granting of the application. If the Commission determines that a valid protest has been received, or that a hearing would be in the public interest, a hearing will be held after issuance of proper and timely notice of the hearing by the Commission. If no protest is received within fifteen (15) days of publication or receipt in Austin of the application, the application may be processed administratively.

RAILROAD COMMISSION OF TEXAS -- OIL AND GAS DIVISION

INJECTION WELL DATA (attach to Form H-1)


Form H-1A DBC 0504

		114	<u>ULO HON</u>			A Jactaon C	, , , , , , , , , , , , , , , , , , , 				
1. Operator Nam			2. Operator P-5 No. 895060								
Walsh and Watts, Inc. 3. Field Name							4. Field No.				
Judy Gail (Canyon Sand) 5. Current Lease Name									42250 //Gas ID No.		
Boyd -D- 10970											
7. Lease is 4	mile	es in a NW		dire	ection from	Hamlin		(cent	ter of nearest town).		
8. Well No.	9. API No	D	10. UIC No).	11. To	otal Depth	12. Date Drilled		of Usable Quality Water		
5 42-151-30907 4729 11/30/1978 (ft) 150 14. (a) Legal description of well location, including distance and direction from survey lines:											
367 'FNL & 1930 'FEL of S/2 Sect. 190, Blk 1 BBB&C RR Co.											
(b) Latitude and Longitude of well location, if known (optional) Lat. 32.930139							Long100.183355				
15. New Injection	Well 🛛 o	r Injection Well A	Pressure 🗆	Volume 🗆 🏻 I	nterval 🗆 Fluid Type 🗆						
					Other (ex	plain)					
Casing	Size	Setting Depth	Hole Size	Hole Size Casing		Cement # Sacks of		Top of	Top Determined by		
16. Surface	8-5/8"	173	12 1/4	28	/eight	Class H	Cement 160	Surface	Circ.		
17. Intermediate											
18. Long string 19. Liner	4.5	4728	7-7/8"	9.	50	Poz	800	950	Bond		
20. Tubing size	21. Tubin	g depth	22. Injecti	on	tubing packe	er depth	23. Injection	interval	. 4550		
2 3/8"	4370		4370					4398	to <u>4552</u>		
24. Cement Sque	eze Operat	ions (List all)	Squeez	e In	terval (ft)		No. of Saci	(S 	Top of Cement (ft)		
None											
	_										
25. Multiple Comp	pletion?		26. Down		Water Sep		NOTE: If the answer is "Yes" to Item 25 or 26, provide a Wellbore Sketch				
Yes□ No 🛛 Yes□ No 🛣					or ze, previde a vvensere energy						
			28. Maximum daily injection volume for each fluid type (rate in bpd or mcf/d)			29. Estimated average daily injection volume for each fluid type (rate in bpd or mcf/d)					
Produced Salt Water		1000				300					
			<u> </u>								
30. Maximum Surface Injection Pressure:			for Liquid <u>2100</u> psig 10. UIC No. 11. Total Depth 1			for Gaspsig. 2. Date Drilled 13. Base of Usable Quality Water					
							(ft)				
14. (a) Legal des	cription of v	vell location, include	ding distanc	e a	nd direction	from survey lin	ies:				
(b) Latitude a	and Longitud	de of well location,	if known (c	ptic	nal) Lat.			Long.			
15 New Injection	——· Well □ or	Injection Well Ar	mendment [٦ !	Reason fo	r Amendment:	Pressure	Volume 🗆 Ir	nterval 🗆 Fluid Type 🗆		
0 - 1 - 1	0:	O-W DW	lusis 6:I		Other (exp	Cement	# Sacks of	Tan of	Top Determined by		
Casing	Size	Setting Depth	Hole Size		asing eight	Class	Cement	Top of Cement	rop Determined by		
16. Surface 17. Intermediate							_				
18. Long string			1								
19. Liner	21 Tubins	donth	22 Injust	ion	tubing pock	or donth	23 Injection	intonyal			
20. Tubing size 21. Tubing depth			22. Injection tubing packer depth			23. Injection interval to					
24. Cement Squeeze Operations (List all)			Squeeze Interval (ft)			No. of Sacks		Top of Cement (ft)			
											
25. Multiple Completion? 26. Dov			26. Dowr	. Downhole Water Separation?			NOTE: If the answer is "Yes" to Item 25				
Yes 🗆 No 🗀			Yes □ No □			or 26, provide a Wellbore Sketch					
					20 Entimated	avorosa daile	injection volume for each				
				28. Maximum daily injection volume for each fluid type (rate in bpd or mcf/d)				29. Estimated average daily injection volume for each fluid type (rate in bpd or mcf/d)			
-											
											
30. Maximum Surface Injection Pressure: for Liquid				psig	for Gas		psig.				

FORM H-1A INSTRUCTIONS

05/2004

- 1. File as an attachment to Form H-1 to provide injection well data for each application for a new injection well permit or to amend an injection well permit.
- 2. Complete the current field name and number (Items 3 and 4) with the current field designation in Commission records.
- Complete the current lease name and number (Items 5 and 6) with the current lease identification in Commission records for each well in the application. Use separate H-1A Forms for each lease.
- 4. Provide the current well number(s) for existing wells in Item 8. Provide the proposed well numbers for wells that have not yet been drilled.
- 5. Check in Item 15 the appropriate box for a new injection well permit or an amendment to an injection well permit. If an amendment, check the appropriate boxes for the reason(s) for the application(s) for amendment. If "other" is checked, provide a brief explanation.
- 6. Provide complete well construction information (Items 16 through 26), including all proposed re-completion (e.g. liner, cement squeeze, tubing, packer). Attach additional sheets if necessary. For Item 19, if the liner was not to the surface, indicate both the top and the bottom depth of the liner as the "Setting Depth,"



January 11, 2018

PREPARED BY:

RAILROAD COMMISSION of TEXAS

P.O. BOX 12967 AUSTIN,TX 78711-2967

8.0 0.6 Miles 5,000 1,250 2,500 3,750 625 Feet

1 inch = 1,505 feet

NOTICE/DISC informational being updated the accuracy these data se and should no

Source: RRC Public GIS Viewer

FILED FOR RECORD AT_IO_O'CLOCK_A_M.

MAR 1 4 2018

PAT THOMSON COUNTY CLERK FISHER COUNTY, TEXAS